


Groundwater Treatment Plant - Treated Groundwater Volumes

The amount of groundwater treated is determined by measuring the number of gallons of treated water returned to LHAAP-18/24, released to the INF Pond, or discharged to Harrison Bayou.

Treated Water Data (in gallons)

Oct-07	Nov-07	Dec-07	Jan-08	Feb-08	Mar-08	Apr-08	May-08	Jun-08	Jul-08	Aug-08	Sep-08
1,041,491	848,356	804,822	792,148	665,883	818,872	791,306	568,812	776,904	748,377	690,052	617,199
Oct-08	Nov-08	Dec-08	Jan-09	Feb-09	Mar-09	Apr-09	May-09	Jun-09	Jul-09	Aug-09	Sep-09
655,059	619,274	726,118	552,299	598,144	433,800	488,807	526,958	387,644	0	414,853	735,716
Oct-09	Nov-09	Dec-09	Jan-10	Feb-10	Mar-10	Apr-10	May-10	Jun-10	Jul-10	Aug-10	Sep-10
808,322	636,306	727,492	391,898	695,343	802,656	894,731	962,121	1,257,977	1,314,924	1,041,495	1,136,547
Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11
956,567	705,805	849,712	811,679	668,281	1,090,348	817,325	900,338	916,552	784,369	652,524	733,456
Oct-11	Nov-11	Dec-11	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12
748,102	658,250	684,903	865,453	725,000*	730,000*	980,000*	630,000*	0	0	0	349,012
Oct-12	Nov-12	Dec-12	Jan-13	Feb-13	Mar-13	Apr-13	May-13	Jun-13	Jul-13	Aug-13	Sep-13
617,037	607,610	560,436	869,710	751,213	641,708	699,776	746,885	392,719	962,890	843,913	716,057
Oct-13	Nov-13	Dec-13	Jan-14	Feb-14	Mar-14	Apr-14	May-14	Jun-14	Jul-14	Aug-14	Sep-14
813,974	727,442	706,416	552,657	738,691	844,095	811,346	972,913	611,505	626,253	573,601	575,376
Oct-14	Nov-14	Dec-14	Jan-15	Feb-15	Mar-15	Apr-15	May-15	Jun-15			
440,877	572,479	634,890	614,073	516,592	1,111,859	1,108,336	822,637	1,020,313			

*Indicates Estimate




The pounds of chemicals removed for the 2nd Quarter of 2015 can be found below and are calculated by the following formula:

$$\frac{(\text{GWTP Influent Contaminant Concentration } [\mu\text{g/L}] \times \text{Volume } [\text{gallons}] \times 3.785 \text{ [liters per gallon]})}{(453,600,000 \mu\text{g per pound})}$$

Pounds of Chemicals Removed From LHAAP-18/24, 2nd Quarter 2015

	Trichloroethylene	Methylene Chloride	Perchlorate
Apr-15	83.4	124.3	96.1
May-15	43.7	0.11	49.3
Jun-15	75.0	57.0	78.3



Water Discharge Location and Volume (Gallons)

Month	Harrison Bayou	LHAAP-18/24 Sprinklers	INF Pond
Apr-15	0	965,468	0
May-15	0	761,374	0
Jun-15	0	895,398	0